

# Montigo



**TRILUX**  
NEW LIGHT.

# Montigo

## Surface-mounted luminaires with opal or prismatic diffuser














### Application

Offices, retail outlets, exhibition areas, relaxation rooms, corridors, ancillary rooms.

### Optical system

Inner spring catches.

...O... Opal PMMA diffuser with finely structured surface with attractive matt decorative finish.

...P... PMMA diffuser, clear.

### Luminaire body


Sheet steel, white powder-coated. With integral cable channel on rear for cable routing with offset wall outlets. End caps of impact-resistant ABS. Side cable entry is in end cap. Degree of protection IP 50.

### Electrical version


Versions ...28/54... and ...35/49... with Multi-Lamp technology for operation of T5 lamps with varying wattages.

...E With electronic ballast.

...EDD With digitally dimmable electronic ballast.




**Montigo O 235/49...**  
 UTE: 0.54 H + 0.21 T  
 DIN 5040: B31  
 CIBSE: BZ 6/75/BZ 5/1/BZ 6  
 NBN L 14-002: BZ 6




**Montigo P 235/49...**  
 UTE: 0.60 H + 0.20 T  
 DIN 5040: B31  
 CIBSE: BZ 5/75/BZ 6  
 NBN L 14-002:  
 BZ 5/1/BZ 6


Montigo O 124...



Montigo O ...28/54...




Montigo O ...35/49...






Designation	TOC	Electrical version		Lamps W	~kg
		...E...	...EDD		
Luminaires with finely structured opal cover					
Montigo O 124...	60 294...	...04	...07	1 x 24	1.6
Montigo O 135/49/80...	60 489...	...04	...07	1 x 35/49/80	2.8
Montigo O 128/54...	60 488...	...04	...07	1 x 28/54	2.4
Montigo O 224...	60 296...	...04	...07	2 x 24	1.7
Montigo O 228...	60 302...	...04	...07	2 x 28	2.5
Montigo O 254...	60 304...	...04	...07	2 x 54	2.5
Montigo O 235/49...	60 490...	...04	...07	2 x 35/49	2.9
Luminaires with prismatic cover					
Montigo P 124...	60 295...	...04	...07	1 x 24	1.6
Montigo P 135/49/80...	60 492...	...04	...07	1 x 35/49/80	2.8
Montigo P 128/54...	60 491...	...04	...07	1 x 28/54	2.4
Montigo P 224...	60 297...	...04	...07	2 x 24	1.7
Montigo P 228...	60 303...	...04	...07	2 x 28	2.5
Montigo P 254...	60 305...	...04	...07	2 x 54	2.5
Montigo P 235/49...	60 493...	...04	...07	2 x 35/49	2.9


Montigo P 124...



Montigo P ...28/54...



Montigo P ...35/49...



# Contacts

## **TRILUX GmbH & Co. KG**

Heidestraße · D-59759 Arnsberg  
Postfach 19 60 · D-59753 Arnsberg  
Tel. +49 (0) 29 32.3 01-0  
Fax +49 (0) 29 32.3 01-3 75  
sales@trilux.com · www.trilux.com

## **PROLJUS AB**

Kyrkogatan 18  
570 03 VRIGSTAD  
Tel. +46 (0) 70 601 05 63  
info@proljus.se - www.proljus.se

